


Flange Code 62 bend 90 degree

4 Spiral Fittings

Standard - SAE 6162-1
6000 PSI CODE 62
O RING - NBR**
Used for hose type -
4SP,4SH, R12, R13*, R15*



DESCRIPTION	HOSE ID (DASH)	HOSE ID (inch)	Thread (T)	S	L	C	d	D	H
HS-0808-FL6-90-45	8	1/2	31.8	8	86	48	10	34	45
HS-0808-FL6-90-100	8	1/2	31.8	8	86	48	10	34	100
HS-1012-FL6-90-70	10	5/8	41.3	9	130	80	13	42	70
HS-1012-FL6-90-100	10	5/8	41.3	9	130	80	13	42	100
HS-1212-FL6-90-65	12	3/4	41.3	9	119	68	15	46	65
HS-1212-FL6-90-100	12	3/4	41.3	9	119	68	15	46	100
HS-1212-FL6-90-125	12	3/4	41.3	9	119	68	15	46	125
HS-1216-FL6-90-85	12	3/4	47.6	10	124	75	15	46	85
HS-1216-FL6-90-110	12	3/4	47.6	10	124	75	15	46	110
HS-1612-FL6-90-75	16	1	41.3	9	125	70	15	52	75
HS-1612-FL6-90-110	16	1	41.3	9	125	70	15	52	110
HS-1612-FL6-90-125	16	1	41.3	9	125	70	15	52	125
HS-1616-FL6-90-75	16	1	47.6	10	140	85	20	52	75
HS-1616-FL6-90-120	16	1	47.6	10	140	85	20	52	120
HS-1616-FL6-90-140	16	1	47.6	10	140	85	20	52	140
HS-1616-FL6-90-180	16	1	47.6	10	140	85	20	52	180
HS-1620-FL6-90-85	16	1	54	11	140	85	21	52	85
HS-1620-FL6-90-110	16	1	54	11	140	85	21	52	110
HS-1620-FL6-90-130	16	1	54	11	140	85	21	52	130
HS-1620-FL6-90-180	16	1	54	11	140	85	21	52	180
HS-2016-FL6-90-80	20	1 - 1/4	47.6	10	155	85	21	62	80
HS-2016-FL6-90-110	20	1 - 1/4	47.6	10	155	85	21	62	110
HS-2020-FL6-90-95	20	1 - 1/4	54	11	165	95	26	62	95
HS-2020-FL6-90-120	20	1 - 1/4	54	11	165	95	26	62	120
HS-2020-FL6-90-150	20	1 - 1/4	54	11	165	95	26	62	150
HS-2020-FL6-90-180	20	1 - 1/4	54	11	165	95	26	62	180
HS-2024-FL6-90-100	20	1 - 1/4	63.5	13	195	120	27	62	100
HS-2420-FL6-90-100	24	1 - 1/2	54	11	185	112	28	72	100
HS-2424-FL6-90-100	24	1 - 1/2	63.5	13	195	120	29	72	100
HS-2424-FL6-90-150	24	1 - 1/2	63.5	13	195	120	29	72	150
HS-2424-FL6-90-200	24	1 - 1/2	63.5	13	195	120	29	72	200
HS-2432-FL6-90-120	24	1 - 1/2	79.4	13	200	130	27	72	120
HS-3232-FL6-90-130	32	2	79.4	13	270	175	41	85	130

** O-Ring is not a part of the flange, it is ordered and invoiced separately.
* R13, R15 are only upto 1" size (for higher sizes go to section 6 spiral fittings)
*